



JDB
EQUIPMENT
COMPANY, INC.

116 West Almond St. Vineland, NJ 08360

TEL: 856-264-0314

FAX: 856-691-4071

www.jdbequipment.com

jdbequipment@hotmail.com



TEL: 856-264-0314

FAX: 856-691-4071

www.jdbequipment.com
jdbequipment@hotmail.com



*"Customers and Safety
at the Forefront"*



*"Customers and Safety
at the Forefront"*



ATB60

WORKING HEIGHT	66 FT
PLATFORM HEIGHT	60 FT
HORIZONTAL REACH	43 FT 1 IN
HEIGHT STOWED	8 FT 3 IN
LENGTH STOWED	29 FT 1.5 IN
WIDTH	7 FT 11 IN
LIFT CAPACITY	500 LB
WEIGHT	27,600 LB
POWER SOURCE	GAS / LP / DIESEL



1930ES

WORKING HEIGHT	25 FT
PLATFORM HEIGHT	19 FT
HEIGHT STOWED	77 IN
LENGTH STOWED	73.5 IN
WIDTH	30 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	500 LB
WEIGHT	2,750 LB
POWER SOURCE	24V



**John Deere Gator 4x2 Utility Vehicle
Gas Powered**

ABOUT US



JDB Equipment Company, Inc. is a certified Woman Business Enterprise (WBE), specializing in the rental of aerial platforms (scissor lifts & boom lifts), rough terrain telehandlers, and gator 4x2 utility carts.

JDB has WBE certifications for the State of New Jersey, City of Philadelphia, State of Delaware, and WBENC (Women's Business Enterprise National Council).

Incorporated in New Jersey in 2001, JDB Equipment Company, Inc. offers a full line of aerial equipment from electric scissor lifts to articulating and telescoping boom lifts, and also, forklifts and utility carts (Gator 4x2's).

JDB Equipment Company, Inc.. strives to achieve a gratifying business relationship with our customers. So, please give us a call, and allow us to fully service your aerial needs.

Finally, as always, our staff is only a phone call away for sales, service or certified operator training. If we can be of any assistance to you with your aerial needs please feel free to contact us.

TABLE OF CONTENTS

SKY JACK

3219.....	4
4632.....	4
7127.....	4
9250.....	4

GENIE

GS-1930.....	5
GS-2632.....	5
GS-3246.....	5
GS-5390RT.....	5
GS-2668RT.....	6
GS-3268RT.....	6
S-40.....	6
S-60.....	6
Z-30N.....	7
Z-34N.....	7
Z-45/25DC.....	7
Z-45/25RT.....	7
GR-15.....	8
AWP-25S.....	8
AWP-36S.....	8



TB80

WORKING HEIGHT	86 FT
PLATFORM HEIGHT	80 FT
HORIZONTAL REACH	71 FT 1.5 IN
HEIGHT STOWED	9 FT 7 IN
LENGTH STOWED	38 FT 10 IN
WIDTH	8 FT 6 IN
LIFT CAPACITY	500 LB
WEIGHT	30,300 LB
POWER SOURCE	GAS / LP / DIESEL



PRO100

WORKING HEIGHT	106 FT
PLATFORM HEIGHT	100 FT
HORIZONTAL REACH	66 FT
HEIGHT STOWED	10 FT 4 IN
LENGTH STOWED	44 FT 6 IN
WIDTH	8 FT 6 IN
LIFT CAPACITY	600 LB
WEIGHT	33,000 LB
POWER SOURCE	DIESEL



PRO126

WORKING HEIGHT	132 FT
PLATFORM HEIGHT	126 FT
HORIZONTAL REACH	63 FT
HEIGHT STOWED	10 FT 4 IN
LENGTH STOWED	42 FT 9 IN
WIDTH	8 FT 6 IN
LIFT CAPACITY	500 LB
WEIGHT	41,840 LB
POWER SOURCE	DIESEL



ATB50

WORKING HEIGHT	56 FT
PLATFORM HEIGHT	50 FT
HORIZONTAL REACH	28 FT
HEIGHT STOWED	6 FT 11 IN
LENGTH STOWED	21 FT
WIDTH	7 FT 6 IN
LIFT CAPACITY	500 LB
WEIGHT	14,980 LB
POWER SOURCE	GAS / LP



4084

WORKING HEIGHT	46 FT
PLATFORM HEIGHT	40 FT
HEIGHT STOWED	8 FT 10.25 IN
LENGTH STOWED	12 FT 6.5 IN
WIDTH	7 FT
DECK EXTENSION	4 FT
LIFT CAPACITY	750 LB
WEIGHT	9,300 LB
POWER SOURCE	GAS / LP



TB42

WORKING HEIGHT	48 FT
PLATFORM HEIGHT	42 FT
HORIZONTAL REACH	33 FT
HEIGHT STOWED	7 FT 9.5 IN
LENGTH STOWED	23 FT 6.25 IN
WIDTH	7 FT 11.5 IN
LIFT CAPACITY	500 LB
WEIGHT	10,500 LB
POWER SOURCE	GAS / LP / DIESEL



TB50

WORKING HEIGHT	56 FT
PLATFORM HEIGHT	50 FT
HORIZONTAL REACH	39 FT 1 IN
HEIGHT STOWED	7 FT 9.5 IN
LENGTH STOWED	25 FT 1.5 IN
WIDTH	7 FT 11.5 IN
LIFT CAPACITY	500 LB
WEIGHT	12,550 LB
POWER SOURCE	GAS / LP / DIESEL



TB60

WORKING HEIGHT	66 FT
PLATFORM HEIGHT	60 FT
HORIZONTAL REACH	50 FT
HEIGHT STOWED	8 FT 9 IN
LENGTH STOWED	30 FT 10 IN
WIDTH	8 FT 1/2 IN
LIFT CAPACITY	500 LB
WEIGHT	20,700 LB
POWER SOURCE	GAS / LP / DIESEL

TABLE OF CONTENTS

GTH

1056..... 8

SNORKEL

S-1930 9

SL-20 9

SL-25 9

3284..... 9

4084..... 10

TB-42 10

TB-50 10

TB-60 10

TB-80 11

PRO-100 11

PRO-126 11

ATB-50..... 11

ATB-60..... 12

JLG

1930-ES 12

JOHN DEERE 12



Skyjack 3219

WORKING HEIGHT	25 FT
PLATFORM HEIGHT	19 FT
HEIGHT STOWED	78.5 IN
LENGTH STOWED	70 IN
WIDTH	32 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	550 LB
WEIGHT	2,580 LB
POWER SOURCE	24V



Skyjack 4632

WORKING HEIGHT	38 FT
PLATFORM HEIGHT	32 FT
HEIGHT STOWED	88 IN (74 IN)
LENGTH STOWED	91 IN
WIDTH	46 IN
DECK EXTENSION	4 FT
LIFT CAPACITY	700 LB
WEIGHT	5,075 LB
POWER SOURCE	24V



Skyjack 7127

WORKING HEIGHT	33 FT
PLATFORM HEIGHT	27 FT
HEIGHT STOWED	105.5 IN
LENGTH STOWED	127 IN
WIDTH	71.5 IN
DECK EXTENSION	4.5 FT
LIFT CAPACITY	1,500 LB
WEIGHT	8,420 LB
POWER SOURCE	GAS/LP



Skyjack 9250

WORKING HEIGHT	56 FT
PLATFORM HEIGHT	50 FT
HEIGHT STOWED	124.5 IN
LENGTH STOWED	176 IN
WIDTH	92 IN
DECK EXTENSION	5 FT
LIFT CAPACITY	2,000 LB
WEIGHT	14,700 LB
POWER SOURCE	GAS/LP



SL1930

WORKING HEIGHT	25 FT
PLATFORM HEIGHT	19 FT
HEIGHT STOWED	79 IN
LENGTH STOWED	66 IN
WIDTH	30 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	500 LB
WEIGHT	2,950 LB
POWER SOURCE	24V



SL20

WORKING HEIGHT	26 FT
PLATFORM HEIGHT	20 FT
HEIGHT STOWED	78.5 IN
LENGTH STOWED	91 IN
WIDTH	32 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	800 LB
WEIGHT	3,750 LB
POWER SOURCE	24V



SL25

WORKING HEIGHT	31 FT
PLATFORM HEIGHT	25 FT
HEIGHT STOWED	89 IN (78.5 IN)
LENGTH STOWED	95 IN
WIDTH	46 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	850 LB
WEIGHT	4,700 LB
POWER SOURCE	24V



3284

WORKING HEIGHT	38 FT
PLATFORM HEIGHT	32 FT
HEIGHT STOWED	8 FT 4 IN
LENGTH STOWED	12 FT 1/2 IN
WIDTH	7 FT
DECK EXTENSION	4 FT
LIFT CAPACITY	1,250 LB
WEIGHT	8,300 LB
POWER SOURCE	GAS / LP



GR-15

WORKING HEIGHT	21 FT 2 IN
PLATFORM HEIGHT	15 FT 2 IN
HEIGHT STOWED	67.5 IN
LENGTH STOWED	53 IN
WIDTH	29.5 IN
LIFT CAPACITY	350 LB
WEIGHT	2,150 LB
POWER SOURCE	24V



AWP25S

WORKING HEIGHT	30 FT 9 IN
PLATFORM HEIGHT	24 FT 9 IN
HEIGHT STOWED	78 IN
LENGTH / WIDTH	51.5 / 29 IN
OUTRIGGER FOOTPRINT (L/W)	61 / 53 IN
LIFT CAPACITY	350 LB
WEIGHT	817 LB
POWER SOURCE	12V



AWP36S

WORKING HEIGHT	42 FT 5 IN
PLATFORM HEIGHT	36 FT 6 IN
HEIGHT STOWED	109 IN (75.5 IN)
LENGTH / WIDTH	55 / 29 IN
OUTRIGGER FOOTPRINT (L/W)	83 / 75 IN
LIFT CAPACITY	350 LB
WEIGHT	1107 LB
POWER SOURCE	12V



GTH1056

MAXIMUM LIFT HEIGHT	56 FT
MAXIMUM REACH	40 FT
HEIGHT STOWED	9 FT 9 IN
LENGTH STOWED	23 FT
WIDTH	8 FT 6 IN
MAXIMUM LIFT CAPACITY	10,000 LB
WEIGHT	31,200 LB
POWER SOURCE	DIESEL



GS-1930

WORKING HEIGHT	25 FT
PLATFORM HEIGHT	19 FT
HEIGHT STOWED	77 IN
LENGTH STOWED	72 IN
WIDTH	30 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	500 LB
WEIGHT	2,702 LB
POWER SOURCE	24V



GS-2632

WORKING HEIGHT	32 FT
PLATFORM HEIGHT	26 FT
HEIGHT STOWED	RAILS FOLD
LENGTH STOWED	96 IN
WIDTH	32 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	500 LB
WEIGHT	4,413 LB
POWER SOURCE	24V



GS-3246

WORKING HEIGHT	38 FT
PLATFORM HEIGHT	32 FT
HEIGHT STOWED	RAILS FOLD
LENGTH STOWED	95 IN
WIDTH	46 IN
DECK EXTENSION	3 FT
LIFT CAPACITY	700 LB
WEIGHT	5,211 LB
POWER SOURCE	24V



GS-5390RT

WORKING HEIGHT	59 FT
PLATFORM HEIGHT	53 FT
HEIGHT STOWED	124 IN
LENGTH STOWED	192 IN
WIDTH	90 IN
DECK EXTENSION	4 FT
LIFT CAPACITY	1,500 LB
WEIGHT	16,616 LB
POWER SOURCE	GAS/LP



GS-2668RT

WORKING HEIGHT	32 FT
PLATFORM HEIGHT	26 FT
HEIGHT STOWED	91.5 IN
LENGTH STOWED	105 IN
WIDTH	68 IN
DECK EXTENSION	4 FT
LIFT CAPACITY	1,250 LB
WEIGHT	6,373 LB
POWER SOURCE	GAS/LP



GS-3268RT

WORKING HEIGHT	38 FT
PLATFORM HEIGHT	32 FT
HEIGHT STOWED	96.5 IN
LENGTH STOWED	105 IN
WIDTH	68 IN
DECK EXTENSION	4 FT
LIFT CAPACITY	1,000 LB
WEIGHT	8,008 LB
POWER SOURCE	GAS/LP



S-40

WORKING HEIGHT	46 FT
PLATFORM HEIGHT	40 FT
HORIZONTAL REACH	31 FT 8 IN
HEIGHT STOWED	8 FT 2 IN
LENGTH STOWED	24 FT 3 IN
WIDTH	7 FT 6 IN
LIFT CAPACITY	500 LB
WEIGHT	11,650 LB
POWER SOURCE	GAS/LP



S-60

WORKING HEIGHT	66 FT
PLATFORM HEIGHT	60 FT
HORIZONTAL REACH	50 FT 4 IN
HEIGHT STOWED	8 FT 10 IN
LENGTH STOWED	27 FT 4 IN
WIDTH	8 FT 2 IN
LIFT CAPACITY	500 LB
WEIGHT	21,000 LB
POWER SOURCE	GAS/LP



Z30N

WORKING HEIGHT	36 FT
PLATFORM HEIGHT	30 FT
HORIZONTAL REACH	21 FT
UP & OVER CLEARANCE	12 FT 6 IN
HEIGHT STOWED	6 FT 7 IN
LENGTH STOWED	16 FT 9 IN
WIDTH	47 IN
LIFT CAPACITY	500 LB
WEIGHT	14,500 LB
POWER SOURCE	48V



Z34N

WORKING HEIGHT	40 FT
PLATFORM HEIGHT	34 FT
HORIZONTAL REACH	22 FT
UP & OVER CLEARANCE	15 FT 3 IN
HEIGHT STOWED	6 FT 7 IN
LENGTH STOWED	18 FT 7 IN
WIDTH	58 IN
LIFT CAPACITY	500 LB
WEIGHT	11,500 LB
POWER SOURCE	48V



Z45/25 DC

WORKING HEIGHT	51 FT
PLATFORM HEIGHT	45 FT
HORIZONTAL REACH	24 FT 6 IN
UP & OVER CLEARANCE	22 FT 6 IN
HEIGHT STOWED	6 FT 7 IN
LENGTH STOWED	18 FT
WIDTH	5 FT 9 IN
LIFT CAPACITY	500 LB
WEIGHT	16,100 LB
POWER SOURCE	48V



Z45/25 RT

WORKING HEIGHT	51 FT
PLATFORM HEIGHT	45 FT
HORIZONTAL REACH	24 FT 6 IN
UP & OVER CLEARANCE	22 FT 9 IN
HEIGHT STOWED	6 FT 10 IN
LENGTH STOWED	18 FT
WIDTH	7 FT 7 IN
LIFT CAPACITY	500 LB
WEIGHT	13,800 LB
POWER SOURCE	GAS/LP